



**VIZM.EX15344**  
**Fittings, Rubber Gasketed**

[Page Bottom](#)

**Fittings, Rubber Gasketed**

[See General Information for Fittings, Rubber Gasketed](#)

**SMITH-COOPER INTERNATIONAL**  
 2867 VAIL AVE  
 CITY OF COMMERCE, CA 90040 USA

EX15344

**Coupling**

| Model | Groove Type | Pipe  | Size (in.)                                 | Rated Pressure (psig) |
|-------|-------------|---|--|-----------------------|
| 65LR  | Rolled, Cut | GB/T 3091                                       | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3OD, 3, 6-1/2OD | 300                   |
| 65LR  | Rolled, Cut | GB/T 3091, 40                                   | 2, 3, 4                                    | 300                   |
| 65LR  | Rolled, Cut | GB/T 8163                                       | 4-1/4OD, 5, 5-1/4OD, 6-1/4OD, 8            | 300                   |
| 65LR  | Rolled, Cut | GB/T 8163                                       | 10, 12                                     | 175                   |
| 65LR  | Rolled, Cut | GB/T 8163, 40                                   | 5, 6                                       | 300                   |
| 65LR  | Rolled      | DT, BLT, EL, ET40, G7, WLS, GL, MT, EZT         | 1-1/4, 1-1/2, 2                            | 300                   |
| 65LR  | Rolled      | XL, SPSF  | 1-1/4, 1-1/2, 2, 2-1/2, 3                  | 300                   |
| 65LR  | Rolled      | SPSF  | 4  | 200                   |
| 65LR  | Rolled      | DF, EF, MF, MFGF, FF                            | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4               | 300                   |
| 65LR  | Rolled      | SF  | 1-1/2, 2, 2-1/2, 3, 4                      | 300                   |
| 65LR  | Rolled      | 10  | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 8            | 300                   |
| 65LR  | Rolled      | 10  | 5, 6                                       | 250                   |
| 65LR  | Rolled/Cut  | 40  | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 8            | 300                   |
| 65LR  | Rolled/Cut  | 40  | 5, 6                                       | 250                   |
| 65LR  | Rolled      | EZF   | 3, 4                                       | 300                   |
| 65LR  | Rolled      | EZF, TF   | 6  | 175                   |
| 65SR  | Rolled      | 10  | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3               | 500                   |
| 65SR  | Rolled      | 10  | 4  | 400                   |
| 65SR  | Rolled      | 10  | 5  | 300                   |
| 65SR  | Rolled      | 10  | 6, 8                                       | 350                   |
| 65SR  | Cut, Rolled | 40  | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8   | 500                   |
| 65SR  | Rolled      | XL, DT, ET40, EL, EZT                           | 1  | 300                   |
| 65SR  | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, MF, MT, GL, MLT, | 1-1/4                                      | 300                   |

|      |             |  |  |     |
|------|-------------|--|--|-----|
|      |             | WLS, SPSF, EZT   |  |     |
| 65SR | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, StF, MF, MT, GL, MLT, WLS, SPSF, FF, EZT, StF | 1-1/2                                    | 300 |
| 65SR | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, MF, MT, GL, MLT, WLS, SPSF, EZT, StF, FF      | 2  | 300 |
| 65SR | Rolled      | XL, DF, EF, StF, MF, SPSF, FF  | 2-1/2                                    | 300 |
| 65SR | Rolled      | XL, DF, EF, EZF, StF, MF, SPSF, FF   | 3  | 300 |
| 65SR | Rolled      | SPSF   | 4  | 200 |
| 65SR | Rolled      | DF, EF, EZF, SF, MF, FF  | 4  | 300 |
| 65SR | Rolled      | EZF, TF  | 6  | 175 |
| 65SR | Rolled      | 10   | 1-1/4, 1-1/2, 3, 4                       | 50  |
| 65SR | Rolled      | 10   | 5  | 400 |
| 65SR | Rolled      | 10   | 6  | 350 |
| 65SR | Rolled      | 10   | 8  | 450 |
| 65SR | Cut, Rolled | 40   | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 | 500 |
| 65SR | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, MF, MT, GL, MLT, WLS, SPSF, EZT               | 1-1/4                                    | 300 |
| 65SR | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, StF, MF, MT, GL, MLT, WLS, SPSF, FF, EZT, StF | 1-1/2                                    | 300 |
| 65SR | Rolled      | XL, DF, EF, EZF, StF, MF, SPSF, FF   | 3  | 300 |
| 65SR | Rolled      | SPSF   | 4  | 200 |
| 65SR | Rolled      | DF, EF, EZF, SF, MF, FF  | 4  | 300 |
| 65SR | Rolled      | EZF, TF  | 6  | 175 |
| 65SF | Rolled      | 10   | 1-1/4, 1-1/2, 3, 4                       | 500 |
| 65SF | Rolled      | 10   | 5  | 400 |
| 65SF | Rolled      | 10   | 6  | 350 |
| 65SF | Rolled      | 10   | 8  | 450 |
| 65SF | Cut, Rolled | 40   | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8 | 500 |
| 65SF | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, MF, MT, GL, MLT, WLS, SPSF, EZT               | 1-1/4                                    | 300 |
| 65SF | Rolled      | XL, BLT, DT, DF, EF, ET40, EL, StF, MF, MT, GL, MLT, WLS, SPSF, FF, EZT, StF | 1-1/2                                    | 300 |
| 65SF | Rolled      | XL, DF, EF, EZF, StF, MF, SPSF, FF   | 3  | 300 |
| 65SF | Rolled      | SPSF   | 4  | 200 |
| 65SF | Rolled      | DF, EF, EZF, SF, MF, FF  | 4  | 300 |
| 65SF | Rolled      | EZF, TF  | 6  | 175 |

**Flexible coupling**

| Model | Groove Type | Pipe          | Size (in.)                                 | Rated Pressure (psig) |
|-------|-------------|---------------|--|-----------------------|
| 65LF  | Rolled, Cut | GB/T 3091     | 1, 1-1/4, 1-1/2, 2, 2-1/2, 3OD, 3, 6-1/2OD | 300                   |
| 65LF  | Rolled, Cut | GB/T 3091, 40 | 3, 4                                       | 300                   |
| 65LF  | Rolled, Cut | GB/T 8163     | 4-1/4OD, 5, 5-1/4OD, 6-1/4OD               | 300                   |

|      |                |   |                                 |     |
|------|----------------|---|---------------------------------|-----|
| 65LF | Rolled,<br>Cut | GB/T 8163   | 10, 12                          | 175 |
| 65LF | Rolled,<br>Cut | GB/T 8163, 40   | 5, 6, 8                         | 300 |
| 65LF | Rolled,<br>Cut | GB/T 8163, 40   | 10, 12                          | 175 |
| 65LF | Rolled         | DT, BLT, EL, ET40, G7, WLS, GL, MT, EZT                                 | 1-1/4, 1-1/2, 2                 | 300 |
| 65LF | Rolled         | XL, SPSF  | 1-1/4, 1-1/2, 2, 2-1/2, 3       | 300 |
| 65LF | Rolled         | SPSF  | 4                               | 200 |
| 65LF | Rolled         | DF, EF, MF, FF  | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4    | 300 |
| 65LF | Rolled         | SF  | 1-1/2, 2, 2-1/2, 3, 4           | 300 |
| 65LF | Rolled         | 10  | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 8 | 300 |
| 65LF | Rolled         | 10  | 5, 6                            | 250 |
| 65LF | Rolled/Cut     | 40  | 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 8 | 300 |
| 65LF | Rolled/Cut     | 40  | 5, 6                            | 250 |
| 65LF | Rolled         | EZF   | 3, 4                            | 300 |
| 65LF | Rolled         | EZF, TF   | 6                               | 175 |
| 65SF | Rolled         | 10  | 1, 2, 2-1/2                     | 500 |
| 65SF | Cut,<br>Rolled | 40  | 1, 2, 2-1/2                     | 500 |
| 65SF | Rolled         | XL, DT, ET40, EL, EZT   | 1                               | 300 |
| 65SF | Rolled         | XL, BLT, DT, DF, EF, ET40, EL, MF, MT, GL, MLT, WLS, SPSF, EZT, StF, FF | 2                               | 300 |
| 65SF | Rolled         | XL, DF, EF, StF, MF, SPSF, FF   | 2-1/2                           | 300 |

#### Reducing Couplings

| Model | Groove Type | Pipe  | Size (in.)  | Rated Pressure (psig) |
|-------|-------------|---|---|-----------------------|
| 65RC  | Rolled      | DT, BLT, EL, ET40, G7, GF, WLS, GL, MT, EZT | 2x1-1/2   | 300                   |
| 65RC  | Rolled      | XL, SPSF                                    | 3x2-1/2, 3x2, 2-1/2x2, 2x1-1/2                    | 300                   |
| 65RC  | Rolled      | SPSF  | 4x3, 4x2, 4x2-1/2                                 | 200                   |
| 65RC  | Rolled      | DF, EF, MF, MFGF, FF, SF, 10, 40            | 4x3, 4x2, 4x2-1/2, 3x2-1/2, 3x2, 2-1/2x2, 2x1-1/2 | 300                   |
| 65RC  | Rolled      | 10,40                                       | 8x6   | 250                   |
| 65RC  | Rolled      | EZF   | 4x3   | 300                   |
| 65RC  | Rolled      | EZF, TF                                     | 6x4   | 175                   |

#### Flange Adapters

| Model | Groove Type | Pipe   | Size (in.)            | Rated Pressure (psig) |
|-------|-------------|--|-----------------------|-----------------------|
| 65FH  | Rolled      | DT, BLT, EL, ET40, G7, FLT, WLS, GL, MT, EZT | 2                     | 300                   |
| 65FH  | Rolled      | XL, SPSF                                     | 2, 2-1/2, 3           | 300                   |
| 65FH  | Rolled      | SPSF   | 4                     | 200                   |
| 65FH  | Rolled      | DF, EF, FLF, MF, MFGF, FF                    | 2, 2-1/2, 3, 4        | 300                   |
| 65FH  | Rolled      | SF   | 1-1/2, 2, 2-1/2, 3, 4 | 300                   |

|      |            |         |                   |     |
|------|------------|---------|-------------------|-----|
| 65FH | Rolled     | 10      | 2, 2-1/2, 3, 4, 8 | 300 |
| 65FH | Rolled     | 10      | 6                 | 200 |
| 65FH | Rolled/Cut | 40      | 2, 2-1/2, 3, 4, 8 | 300 |
| 65FH | Rolled/Cut | 40      | 6                 | 200 |
| 65FH | Rolled     | TF      | 2-1/2, 3, 4       | 300 |
| 65FH | Rolled     | EZF     | 3, 4              | 300 |
| 65FH | Rolled     | EZF, TF | 6                 | 175 |

**Side outlet**

| Model      | Outlet Type | Pipe      | Size (in.)   | Rated Pressure (psig) |
|------------|-------------|-----------|--|-----------------------|
| 65MG, 65MT | Grooved     | GB/T 3091 | 2x1-1/4, 1-1/2; 2-1/2x1-1/4, 1-1/2, 2; 3ODx1-1/4, 1-1/2; 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2, 2-1/2, 3OD, 3; 6-1/2ODx2, 3OD, 3, 4   | 300                   |
| 65MG, 65MT | Grooved     | GB/T 3091 | 4x2, 3OD   | 300                   |
| 65MG, 65MT | Grooved     | GB/T 8163 | 4-1/4ODx2, 3OD; 5-1/2 ODx1-1/4, 1-1/2, 2; 5x1-1/4, 1-1/2, 2, 2-1/2, 3OD, 3; 5-1/4ODx2, 3OD, 3; 6-1/2ODx1-1/4, 1-1/2, 2, 3 OD, 3; 6x1-1/4, 1-1/2, 2, 2-1/2, 3OD, 3, 4; 6-1/4ODx2, 3OD, 3, 4-1/4OD, 4; 8x2, 2-1/2, 3OD, 3; 10x2, 3 OD, 3 | 300                   |
| 65MG, 65MT | Grooved     | GB/T 8163 | 5x2, 3OD, 3; 6x2, 3OD, 3, 4-1/4OD, 4; 8x2, 3OD, 3, 4-1/4OD, 4  | 300                   |
| 65MG, 65MT | Grooved     | GB/T 8163 | 10x2, 3OD, 3, 4-1/4OD, 4   | 175                   |
| 65MG, 65MT | Grooved     | XL        | 3x1-1/4, 1-1/2, 2  | 300                   |
| 65MG, 65MT | Grooved     | DF        | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2   | 300                   |
| 65MG, 65MT | Grooved     | DF        | 4x2-1/2, 3   | 250                   |
| 65MG, 65MT | Grooved     | EF        | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2   | 300                   |
| 65MG, 65MT | Grooved     | EF        | 4x 2-1/2, 3  | 250                   |
| 65MG, 65MT | Grooved     | EZF       | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2, 2-1/2 3  | 300                   |
| 65MG, 65MT | Grooved     | EZF       | 6x1-1/4, 1-1/2, 2, 2-1/2, 3, 4   | 175                   |
| 65MG, 65MT | Grooved     | TF        | 6x1-1/4, 1-1/2, 2, 2-1/2, 3, 4   | 175                   |
| 65MG, 65MT | Grooved     | MF        | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2,  | 300                   |
| 65MG, 65MT | Grooved     | MF        | 4x2-1/2, 3   | 250                   |
| 65MG, 65MT | Grooved     | SPSF      | 3x1-1/4, 1-1/2, 2  | 300                   |
| 65MG, 65MT | Grooved     | SPSF      | 4x1-1/4, 1-1/2, 2, 2-1/2, 3  | 200                   |
| 65MG, 65MT | Grooved     | FF        | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2   | 300                   |
| 65MG, 65MT | Grooved     | FF        | 4x2-1/2, 3   | 250                   |
| 65MG, 65MT | Grooved     | SF        | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2   | 300                   |

|               |          |              |  |     |
|---------------|----------|--------------|--|-----|
| 65MG,<br>65MT | Grooved  | SF           | 4x2-1/2, 3   | 250 |
| 65MG,<br>65MT | Grooved  | 10           | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2; 5x1-1/2, 2, 2-1/2, 3; 6x1-1/4, 1-1/2, 2, 2-1/2; 8x2, 2-1/2,3   | 300 |
| 65MG,<br>65MT | Grooved  | 10           | 8x4  | 275 |
| 65MG,<br>65MT | Grooved  | 10           | 4x 3; 6x3, 4   | 250 |
| 65MG,<br>65MT | Grooved  | 40           | 3x1-1/4, 1-1/2, 2; 4x1-1/4, 1-1/2, 2, 3 OD; 5x1-1/2, 2, 2-1/2, 3 OD, 3; 6x1-1/4, 1-1/2, 2, 2-1/2, 3 OD, 3, 4, 4-1/4 OD; 8x2, 2-1/2, 3 OD,3, 4, 4-1/4 OD  | 300 |
| 65MG,<br>65MT | Grooved  | 40           | 4x3  | 250 |
| 65MG,<br>65MT | Grooved  | 40           | 10x2, 3, 4,  | 175 |
| 65MG,<br>65MT | Grooved  | 40           | 10x3OD, 10x4-1/4OD   | 175 |
| 65MG,<br>65MT | Threaded | GB/T<br>3091 | 2xG1/2, G3/4, G1-1/4, G1-1/2; 2-1/2xG1/2, G3/4, G1, G1-1/4, G1-1/2; 3ODxG1/2, G3/4, G1, G1-1/4, G1-1/2; 3xG1/2, G3/4, G2; 4xG1/2, G3/4, G1, G1-1/4, G1-1/2, G2-1/2, G3; 6-1/2ODxG1, G1-1/4, G1-1/2, G2, G2-1/2, G3                         | 300 |
| 65MG,<br>65MT | Threaded | GB/T<br>3091 | 2xG1; 3xG1, 1-1/4, G1-1/2; 4xG1, G1-1/4, G1-1/2, G2, G2-1/2  | 300 |
| 65MG,<br>65MT | Threaded | GB/T<br>8163 | 4-1/4ODxG1, G1-1/4, G1-1/2, G2, G2-1/2; 5xG3/4, G1, G1-1/4, G1-1/2, G2, G2-1/2, G3; 5-1/4ODxG1, G1-1/4, G1-1/2, G2, G2-1/2, G3; 6-1/2ODxG1, G1-1/4, G1-1/2; 6xG1/2, G3/4, G2-1/2, G3; 6-1/4ODxG1, G1-1/4, G1-1/2, G2, G2-1/2, G3; 8xG2-1/2 | 300 |
| 65MG,<br>65MT | Threaded | GB/T<br>8163 | 5xG1, G1-1/4, G1-1/2, G2, G2-1/2, G3; 6xG1, G1-1/4, G1-1/2, G2, G2-1/2, G3; 8xG1, G1-1/4, G1-1/2, G2, G2-1/2, G3   | 300 |
| 65MG,<br>65MT | Threaded | GB/T<br>8163 | 10xG2, G2-1/2, G3  | 175 |
| 65MG,<br>65MT | Threaded | XL           | 2x1/2, 3/4,1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1,1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | DT           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | DF           | 2x1/2, 3/4,1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1,1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2, 2-1/2  | 300 |
| 65MG,<br>65MT | Threaded | DF           | 4x3  | 250 |
| 65MG,<br>65MT | Threaded | BLT,<br>TL   | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | EL           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | ET40         | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | EF           | 2x1/2, 3/4,1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1,1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | EF           | 4x2-1/2, 3   | 250 |
| 65MG,<br>65MT | Threaded | G7           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | EZF          | 3x1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | EZF          | 4x2-1/2, 3   | 250 |
| 65MG,<br>65MT | Threaded | EZF          | 6x1-1/4, 1-1/2, 2, 2-1/2, 3, 4   | 175 |

|               |          |              |  |     |
|---------------|----------|--------------|--|-----|
| 65MG,<br>65MT | Threaded | TF           | 6x1-1/4, 1-1/2, 2, 2-1/2, 3, 4   | 175 |
| 65MG,<br>65MT | Threaded | WLS,<br>GL   | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | MT           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | MF           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | MF           | 4x2-1/2, 3   | 250 |
| 65MG,<br>65MT | Threaded | SPSF         | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | SPSF         | 4x1, 1-1/4, 1-1/2, 2, 2-1/2, 3   | 200 |
| 65MG,<br>65MT | Threaded | EZT          | 2x1/2, 3/4, 1, 1-1/4, 1-1/2  | 300 |
| 65MG,<br>65MT | Threaded | FF           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2   | 300 |
| 65MG,<br>65MT | Threaded | FF           | 4x2-1/2, 3   | 250 |
| 65MG,<br>65MT | Threaded | SF           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x, 1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2, 2-1/2  | 300 |
| 65MG,<br>65MT | Threaded | SF           | 4x3  | 250 |
| 65MG,<br>65MT | Threaded | 10           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2; 5x1-1/2, 2, 2-1/2, 3; 6x1-1/4, 1-1/2, 2, 2-1/2; 8x2, 2-1/2, 3  | 300 |
| 65MG,<br>65MT | Threaded | 10           | 4x 2-1/2, 3; 6x3, 8x4  | 250 |
| 65MG,<br>65MT | Threaded | 10           | 6x4  | 200 |
| 65MG,<br>65MT | Threaded | 40           | 2x1/2, 3/4, 1, 1-1/4, 1-1/2; 2-1/2x1/2, 3/4, 1, 1-1/4, 1-1/2; 3x1, 1-1/4, 1-1/2, 2; 4x1, 1-1/4, 1-1/2, 2, G2-1/2; 5x1, 1-1/4, 1-1/2, 2, 2-1/2, 3; 6x1, 1-1/4, 1-1/2, 2, 2-1/2, 3; 8x1, 1-1/4, 1-1/2, 2, 2-1/2, 3 | 300 |
| 65MG,<br>65MT | Threaded | 40           | 4x2-1/2, 3; 8x4  | 250 |
| 65MG,<br>65MT | Threaded | 40           | 6x4  | 200 |
| 65MG,<br>65MT | Threaded | 40           | 10xG2, G2-1/2, G3  | 175 |
| 65MU          | Threaded | GB/T<br>3091 | 1-1/4xG1/2, G3/4, G1; 1-1/2xG1/2, G3/4, G1; 2xG1/2, G3/4, G1; 2-1/2xG1/2, G3/4, G1; 3ODxG1/2, G3/4, G1   | 235 |
| 65MU          | Threaded | XL           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1   | 300 |
| 65MU          | Threaded | DT           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | DF           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1   | 300 |
| 65MU          | Threaded | BLT          | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | EL           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | ET40         | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | EF           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1   | 300 |
| 65MU          | Threaded | G7           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | WLS,<br>GL   | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |
| 65MU          | Threaded | MT           | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1  | 300 |

|      |          |      |  |     |
|------|----------|------|--|-----|
| 65MU | Threaded | MF   | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1 | 300 |
| 65MU | Threaded | SPSF | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1 | 300 |
| 65MU | Threaded | EZT  | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1                    | 300 |
| 65MU | Threaded | FF   | 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1                    | 300 |
| 65MU | Threaded | SF   | 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1                    | 300 |
| 65MU | Threaded | 10   | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1 | 300 |
| 65MU | Threaded | 40   | 1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1 | 300 |

Models 65SR & 65SF are suitable for use in dry pipe systems for temperature to -40°F.

Models 65MG and Model 65MT in the 1/2, 3/4 in., and 1 in. nominal outlet sizes are intended for direct connection to sprinklers.

Model 65MU in the 1/2 and 3/4 in. nominal outlet sizes are intended for direct connection to sprinklers.

Models 65MG and Model 65MT in the 1 in. and larger nominal outlet sizes are intended for connection to system piping.

Model 65MU in the 1 in. nominal outlet size is intended for connection to system piping.

GB/T 3091 refers to steel pipe manufactured in accordance with GB/T 3091

GB/T 8163 refers to steel pipe manufactured in accordance with GB/T 8163

JIS G 3452 refers to steel pipe manufactured in accordance with JIS G 3452

10 refers to Schedule 10 steel pipe in accordance with NFPA 13

40 refers to Schedule 40 steel pipe in accordance with NFPA 13

BLT refers to Listed BLT steel pipe manufactured by Allied Tube & Conduit Corp

DF refers to Listed DYNA-FLOW steel pipe manufactured by Allied Tube & Conduit Corp

DT or CT refers to Listed DYNA-Thread and Central Thread steel pipe manufactured by Allied Tube & Conduit Corp

EF refers to Listed EDDY FLOW steel pipe manufactured by Bull Moose Tube Co

EL refers to Listed EDDYLITE steel pipe manufactured by Bull Moose Tube Co

ET40 refers to Listed Eddythread 40 steel pipe manufactured by Bull Moose Tube Co

EZF refers to Listed EZ-Flow steel pipe manufactured by Northwest Pipe Co

EZT refers to Listed EZ-Thread steel pipe manufactured by Youngstown Tube Co

FF refers to Listed Fire-Flo steel pipe manufactured by Youngstown Tube Co

FLTL refers to Listed Fire-Line Threadable Light steel pipe manufactured by Western International Forest Products Inc

G7 or GF refers to Listed GAL 7 and GAL-FLO steel pipe manufactured by Idod Systems L C

GL or MLT refers to Listed GL and MLT steel pipe manufactured by Wheatland Tube Co

MF or MFGF refers to Listed Mega-Flow and Mega-Flow-GF steel pipe manufactured by Wheatland Tube Co

MT or MTGT refers to Listed Mega-Thread and Mega-Thread-GT steel pipe manufactured by Wheatland Tube Co

SF refers to Listed Super-Flo steel pipe manufactured by Allied Tube & Conduit Corp

SPSF refers to Listed SPS Flow steel pipe manufactured by YIEH PHUI ENTERPRISE CO LTD

TF refers to Listed Tex-Flow steel pipe manufactured by Tex-Tube Co

TL refers to Listed TL steel pipe manufactured by Allied Tube & Conduit Corp

WLS refers to Listed WLS steel pipe manufactured by Wheatland Tube Co

XL or XL-II refers to Listed XL and XL-II steel pipe manufactured by Allied Tube & Conduit Corp

Last Updated on 2010-05-25

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".